Specification of body police camera(SOP-06)

Picture:





Parameters:

Video Resolution Multiple Re	
Sensor 5MP CMOS Lens 140 degree Wideo Resolution	sensor
Lens 140 degree Video Resolution Multiple Re	
Video Resolution	e, wide angel F2.0
Video Resolution	
280x720(3	cording Resolution 2304X1296(30 FPS)/12961920x1080P(30 FPS)/ 1 0 FPS)/ 848x480(30 FPS)
Video Format H.264 MPE	G4
Fast forward 2X, 4X, 8X,	, 16X, 32X, 64X
REW 2X, 4X, 8X,	, 16X, 32X, 64X
Audio High Qualit	ry Build-in Microphone.
Audio Format AAC2./MP3	
Water Mark User ID, Ti	me and date Stamp Embedded into Video.
Camera 33 Megapix	cel Camera option with optional burst shot(5/10/15 photos)
Camera Format 33M, 16M,	12M, 8M, 5M
Snap Shot Capture Ph	otos During Video Recording
CAR Mode Support	
Storage Capacity 16G/32G/6	4G/128G
Storage Level Visual India	cator
Record Led Red;	
One Button Recording Support On	ne Button Record;
Activation prompt Audible, Vis	sual, and Tactile Vibration Confirm Activation of Record;
IR Light/White Light 8 IR Light/	2White Light;
Other Auxiliary Light One red las	ser light;
VIDEO/IMAGE REVIEW	
LCD Screen 2 inch TFT-	LCD High-Resolution Color Display;
Audio Playback Yes;	

Video Output	HDMI 1.3 Port;
Video Transfer	USB 2.0;
CAMERA	
Recording Angle	Wide Angle 140 degrees;
Night Vision	Up to 15 Meters with Visible Face Detection;
Waterproof	IP67;
Clip	High Quality Metal Clip with 360 degrees Rotation;
PTT	Can Connect to Different Types of Radios;
BATTERY	
Туре	Built-in 3500mAH Lithium
Charging Time	180 minutes
Continuous Recording	8-11 Hours(LCD OFF), if 1080p30, 8hours, 720p,10hours,480p,11hours
Low Battery Warning	Beep Alert
OTHERS	
Unique ID number/unit	Include 5 digit device ID and 6 digit police ID
Language	English/Chinese/Russian
	To set an administrator password on the PC management software
Password Protection	to allow deletion from PC, and modify the password in the PC
	management software.
Pre-record function	User can only view the videos but cannot delete it. 25 seconds pre-record(1080P30)
Post-record function	10/20/30/off seconds last-record
Burst	
Dimension	5/10/15 Shot burst picture taking 82 mm *58 mm *25mm
Weight	145g
Working Temperature	-40~60 degrees Celsius
Storage temperature	-20~55 degrees Celsius
ACCESSORIES	-20°-33 degrees Ceisius
Standard Accessories	USB cable,USB Charger, User Manual, Universal metal clip,driver disc
Standard Accessories	Shoulder mount, car mount, bullet camera, dock station, PTT cable,
Option	GPS,etc

Standard Package:





Optional Accessories:

1. Shoulder Mount



3.Bullet camera



5.GPS



7. PTT Cable



9.Dock Station(10units)



2.Car Mount



4.Mini CCD camera



6. Harness



8. Remoter



10.Dock Station(20units)

